

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	13039	(branch\$3 with (table list\$3)) and (program executable module code byte\$1code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:28
S3	1373	(branch\$3 with (table list\$3)) and (program executable module code byte\$1code) and loop and (jmp jump)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:29
S4	485	713/188.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:30
S5	2	S3 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:30
S8	1833	(branch\$3 with (table list\$3 map\$4)) same (execut\$4 program code module) same ((address\$3) with (table list\$3 map\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:36
S9	1	S4 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:36
S10	537	(basic near2 block) with (map\$4 list\$3 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:38

## EAST Search History

S11	36897	"713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:38
S12	19	S10 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:38
S13	919	(virus malware hostile malicious virii trojan worm) and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:41
S14	4	S10 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:42
S15	102	instructions check security "code cache"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/07 14:45
S16	10	"5974549".pn. "20030140245" "7013456".pn. "6275938".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 14:51
S18	1065	(virus malware hostile malicious virii trojan worm) and (code instruction) and cache and ((tree branch\$3 table list\$3) with (block))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:03

## EAST Search History

S19	1	(virus malware hostile malicious virii trojan worm) same (code instruction) same cache same ((tree branch\$3 table list\$3) with (block))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:03
S20	0	(virus malware hostile malicious virii trojan worm) same (code instruction) same sandbox same ((tree branch\$3 table list\$3) with (block))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:04
S21	84	(security adj policy) and (program adj control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:12
S25	5238	(emulat\$3 virtual\$7 sandbox\$4) same (code program module) same (branch\$3 map\$4 list\$3) same (address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:30
S26	1542	(emulat\$3 virtual\$7 sandbox\$4) with (code program module) with (branch\$3 map\$4 list\$3) same (address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:32
S27	1196	(emulat\$3 virtual\$7 sandbox\$4) with (code program module) with (branch\$3 map\$4 list\$3) with (address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:33
S30	1824	(conditional adj branch\$3) and (database table map) with (block fragment sequence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:15

## EAST Search History

S31	686	(conditional adj branch\$3) and (database table map) with (block fragment sequence) with (code instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:15
S32	21	S11 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:15
S33	554	(basic near block\$3) with (database table map\$4 list\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:24
S34	367	(basic near block\$3) near5 (database table map\$4 list\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:25
S36	25	((trac\$3) with (code instruction)) same (database list\$3 map\$4 cache) same (malicious danger\$3 en\$1danger\$3 malware virus virii hostile worm trojan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:47
S38	1220	(trac\$3) with (code instruction) with (call jump jmp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:52
S39	530	(trac\$3) with (code instruction) with (jump jmp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:52

## EAST Search History

S40	13	S11 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:52
S41	105	((trac\$3) with (code instruction) with (address destination) with (jump jmp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:53
S46	719	((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 07:12
S47	79	((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4 with (display\$3 show\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 07:15
S48	11	((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4 with call\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 07:15
S49	15	((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4 with (jump jmp call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 07:15
S50	638	((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4) and (map\$4 tree database manifest\$3 branch\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 07:15

## EAST Search History

S53	45	((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4) with (map\$4 tree database manifest\$3 cach\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 08:51
S56	93	((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4) and ((external\$2) with (function call calling interrupt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:06
S57	216	trac\$3 with (danger\$3 malicious hostile overflow) with (code instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:28
S58	228	trac\$3 with (danger\$3 malicious hostile overflow vulnerab\$7) with (code instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:56
S59	267	(trac\$4 hunt\$3) with (danger\$3 malicious hostile overflow vulnerab\$7) with (code instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:56
S60	51	S59 not S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 09:56
S65	4347	(trac\$4 hunt\$3) with (code instruction) with (compar\$3 near5 address\$3 locat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:40

## EAST Search History

S66	34015	(trac\$4 hunt\$3) with (code instruction) and (compar\$3 near5 address\$3 locat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:40
S67	116	(trac\$4 hunt\$3) with (code instruction) with (compar\$3 near5 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:41
S68	0	((trac\$4 hunt\$3) with (code instruction) with (compar\$3 near5 address\$3) ) same (malware malicious hostile virus virii worm trojan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:42
S69	2	((trac\$4 hunt\$3) with (code instruction) with (compar\$3 near5 address\$3) ) and (malware malicious hostile virus virii worm trojan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 11:42
S70	169	(trac\$4 hunt\$3) with (code instruction) with ((compar\$3 measur\$3) near5 (address\$3 locat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 12:42
S71	53	S70 not S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 12:43
S72	510	(trac\$4 hunt\$3) with (code instruction) same ((compar\$3) with (address\$3 locat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 12:46

## EAST Search History

S73	267	(trac\$4 with (code instruction)) same (compar\$3 near5 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 12:47
S74	149	S73 not (S67 S70 S71)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 12:48
S88	8	trac\$4 with (locat\$3 graph\$3 map\$4) with (instruction code) with (hostile virus virii trojan danger\$3 malicious)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:13
S89	637	(locat\$3 graph\$3 map\$4 address\$3 table tree) with (instruction code) with (hostile virus virii trojan danger\$3 malicious)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:14
S90	485	713/188.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:15
S91	78036	((graph\$3 map\$4 table tree) with (instruction code)) and address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:16
S92	26704	((graph\$3 map\$4 table tree) with (instruction code)) same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:16



## EAST Search History

S93	28	S90 and S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:16
S94	2	malware with analy\$4 with (debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:32
S95	7	(malware virus virii) with (analy\$4) with (debug\$4 de\$1compil\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:34
S96	122	(analy\$4 scan\$4) with (self\$1modif\$4 self\$1encrypt\$3 polymorphic metamorphic) with (code program module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 09:35
S106	9	transparent near5 "stack smashing attacks"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 06:45

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	811	(trac\$4) with (address\$3 locat\$3 instruction code) with (malicious over\$1flow\$3 smash\$3 danger\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:28
S2	1033	(trac\$4) with (address\$3 locat\$3 instruction code call\$3) with (malicious over\$1flow\$3 smash\$3 danger\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:28
S3	1039	(trac\$4) with (address\$3 locat\$3 instruction code call\$3) with (malicious\$4 over\$1flow\$3 smash\$3 danger\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:28
S4	490	713/188.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:29
S5	2129	714/38.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:30
S6	10	(S2 or S3) and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:30
S7	11	(S2 or S3) and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:31

## EAST Search History

S9	465	(scan\$4) with (instruction code) with (malware pestware virus virii hostile trojan worm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:34
S11	15	(scan\$4) near5 (instruction) near5 (malware pestware virus virii hostile trojan worm malicious\$4 danger\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:37
S13	347	(virus virii malware pestware malicious\$4) and ((prevent\$3 thwart\$3 guard\$3) with (smash\$3 over\$1flow\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 15:43
S14	35	(virus virii malware pestware malicious\$4) same ((prevent\$3 thwart\$3 guard\$3) with (smash\$3 over\$1flow\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 15:44
S16	181	(virus virii malware pestware malicious\$4) same ((prevent\$3 thwart\$3 guard\$3) with (smash\$3 over\$1flow\$3 exploit\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/14 07:07
S17	271	(virus virii malware pestware malicious\$4 worm) same ((prevent\$3 thwart\$3 guard\$3) with (smash\$3 over\$1flow\$3 exploit\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/14 07:07
S18	36738	"713".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/14 07:07
S19	38	S16 and S18	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/14 07:08